

### An Ancient Spice That Packs a Punch

#### Did you know?

- Mustard seeds composition and functional characteristics make mustard ideal for a plethora of food and food processing applications
- Mustard is a natural antimicrobial preservative with unique emulsifying and binding properties and contributes pungency, heat, flavour and nutritive value to foods
- Mustard is a versatile food ingredient available in many forms: whole seeds, flours, meals, and brans
- Mustard is used in packaged meat products, condiments, sauces, baked goods and even beverages
- Canada is the world's largest exporter of condiment Yellow and Brown mustards

Mustard is one of the oldest spices according to records dating back to 3000 BC. It was recognized for its therapeutic and condiment value, historically being used to treat scorpion bites, entomb kings and as a flavouring agent to disguise degraded food.<sup>10</sup>

Globally, three types of mustard seeds are used as condiments: Yellow or White mustard (*Sinapis alba* syn. *Brassica hirta* or *B. alba*); and Brown and Oriental mustard (*B. juncea*). Mustard greens is widely used as a salad, as an oilseed crop in India, for green manure, or as a fodder crop or for industrial oil purposes. In Canada, *Sinapis alba* is approved as a traditional Chinese medicine (Bai Jie Zi).<sup>8</sup>

Canada is the world's largest exporter of mustard seed supplying both Yellow and Brown/Oriental mustards to the world trade market.<sup>5</sup>

Figure 1. Canadian mustards<sup>2</sup>



#### **Mustard Composition**

Mustards seeds are composed of protein, oil, carbohydrates, and micronutrients (Table 1). Brown and Oriental mustards tend to have a slightly lower protein content and higher oil content than Yellow mustard. Mustard also contains

## SPREAD THE MUSTARD

bioactive compounds such as glucosinolates, phytate, and phenolics, once thought to be antinutritional factors, which are now being investigated for their potential health benefits.

Glucosinolates are important natural, functional components in mustard as the hydrolysis by the enzyme myrosinase produces isothiocyanates (ITC), the agents responsible for the heat, pungency and antimicrobial properties of mustards. Hydrolysis of the glucosinolate sinalbin in Yellow mustards produces non-volatile p--hydroxy benzoic isothiocyanate (p-HBITC) giving Yellow mustards their characteristic heat and mouth sweetness. Hydrolysis of the sinigrin glucosinolate in Brown/Oriental mustards produces volatile allyl isothiocyanate (AITC) giving these mustards their strong olfactory and pungent properties.

Mustard protein has an excellent nutritional profile being rich in lysine with adequate amounts of sulphur-containing amino acids (methionine & cysteine) which are limiting amino acids in most cereals and oilseed proteins.<sup>10</sup> Due to its high biological value, mustard as a protein source could be of great interest to human nutrition.<sup>1</sup>

Table 1. Chemical composition of mustard seed<sup>2,4</sup>

	Glucosinolates		Composition						
Mustard, Whole Seed	Sinigrina	Sinalbin <sup>b</sup>	Oil	Protein	Phytate	Crude Fibre	Moisture	Ash	
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	
Yellow	-	2.3	27-32	29-32	2-3	9	6	4	
Brown	0.80	-	36-40	25-27.5	2-3	7	6	4	
Oriental	0.78	-	37-45	24-28	2-3	6	6	4	

<sup>&</sup>lt;sup>a</sup> Sinigrin hydrolysis results in AITC; <sup>b</sup>, Sinalbin hydrolysis results in p-HBITC

Mustards are low in saturated fatty acids and high in mono- and polyunsaturated fatty acids.<sup>2</sup> Mustard oil is high in erucic acid and while its use is prohibited for human consumption in North America and Europe, it is consumed as a cooking oil in India and the Middle East. Mustard oil's lubricant qualities and erucic content are suited for the emerging bio-based industrial market.

Table 2. Fatty acid composition (%) of Yellow and Brown mustard<sup>3,9</sup>

Seed Type	Palmitic (16:0)	Stearic (C18:0)	Oleic (C18:1)	Linoleic (C18:2)	Linolenic (C18-3)	Eicosenoic (C20:1)	Erucic (C22:1)
Yellow	2.6-2.7	1.0-1.1	23-25	7-10	9-12	6-11	33-51
Brown	2-4	1.4-1.6	20-25	20-23	10-20	6-14	18-23



#### Mustard is a Multi-Functional Food Ingredient

Mustard has unique functional properties that can be applied to many foods including baked goods, packaged meat products, condiments and emulsion-type dressings (Table 3). Depending on the type of mustard ingredient used, mustard provides emulsification, stability, water and fat binding, preservative and nutritive properties to foods. Mustard flours (bran removed) provide emulsifying capacity for use in salad dressings, sauces and processed meats. Ground mustards and mustard flours can be used as a protein source.

Mustard can be processed into various forms including whole seed, cracked seeds and finely or coarsely ground seeds. It can be milled to produce a flour and a bran product, and de-oiled to produce an oil fraction and a high protein meal (cake).

Mustards subjected to a heat treatment are commonly called de-heated, cold, deodorized or deactivated mustards to produce bland flavoured mustard flours, brans and ground mustards. Heating inactivates the myrosinase enzyme in the seed and prevents the conversion of the glucosinolates into the pungent, hot isothiocyanates.

Yellow mustard bran (seed hull) is a unique co-product of the flour milling process. Yellow mustard bran contains about 5% mucilage compared to less than 1% in the Brown and Oriental mustards. This mucilage (hydrocolloid) has unique emulsifying, water binding and shear thinning properties that contribute to the use of mustard bran as a thickening agent in sauces and dressings.

<u>Applications</u>: De-heated (cold) Yellow mustard flours are commonly used in sauces and mayonnaises and due to their binding ability, can be used as a substitute for gums or starches. It can also partially replace egg yolks in mayonnaise formulations. Mustard (when de-heated) is primarily used in the meat industry as an emulsifier, a water-binding agent, and a filler in cooked, cured meats. Regular mustard (without de-heating) is used as a flavouring agent or as preservative in various meat products such as hot dogs, bologna, sausages and salami.

<u>Natural Antimicrobial Agent</u>: Mustard has inherent antimicrobial properties due to the presence of the glucosinolates and isothiocyanates. These bioactive compounds inhibit the growth of pathogens and spoilage organisms thus contributing to the microbial safety of processed foods and increasing shelf life.

# **SPREAD** MUSTARD

Table 3. Mustard products, applications, uses and functional attributes

Product Form	Seed	Application	Functional Attributes
Oil	Brown/Oriental	Edible oil (India)	Pungency and taste
		Industrial uses	High erucic acid content makes it an excellent lubricant
	Yellow	Mayonnaise (Sweden)	Lubricant
		White mustard oil extract (WMEO)	Potential antimicrobial agent
Mustard Powder	Yellow flours	Retailed as flour	Flavour
	or	Ingredient in salad dressings, mayonnaise,	Emulsifier
	Yellow/Oriental blends	BBQ sauce, pickles, processed meats	Various flavour profiles offered (from mild to hot & pungent)
<b>Ground Mustard</b>	Yellow Or Oriental	Meat products	Flavour
(whole seeds,	Or Yellow/Oriental	Seasoning for frankfurters, bologna,	Emulsion stability for oil/water emulsions Water binder
ground)	blends	salamis, luncheon meats Salad dressings, pickled products,	Bulking agent
		condiments	Reduces product shrinkage during cooking
			Low cost vegetable protein in meat products
			Antimierabial activity as ITC inhibit microbial
			Antimicrobial activity as ITC inhibit microbial growth
			As an antioxidant preserves colour and freshness
	Brown	Brown mustard used primarily for	in fruit pies, tarts and quiches.
		preparation of hot, spicy table mustards	
		(e.g. Dijon)	
Cracked mustard seeds	Yellow or Brown	Mustards, salad dressings	Specific granulations achieved Emulsification
seeus		Seasonings and topical blends	Thickener
De-heated mustard		Finely ground: Myrosinase enzyme	Bland tasting
(cold)		deactivated	High protein source
	Yellow	Processed cheese slices, bakery products	Water binder
(Myrosinase		and beverages	Antioxidant which retards lipid oxidation
enzyme deactivated)		Meat products Sauces	Stabilizer Thickener
acactivatea		Mayonnaise (can partially replace egg yolk)	Potential as reducing agent in bakery mixes to
		Tomato-based products (e.g. ketchup)	break down gluten matrix, relaxing the dough
			and improving stretchability
De-oiled ground	Yellow & Brown	Meat products (hot dogs, sausages,	Fixed oil component is cold-expelled
mustard		bratwurst, and processed deli meats)	concentrating the protein (minimum 40%),
(partial oil expelled)		Creamy dressings Mayonnaise	mucilage, phospholipids and fiber.
		Applications include hot Chinese mustard,	
		wasabi paste/powder, and Asian cuisine	
Mustard Bran	Yellow	Coarse flakes or ground to fine powder	Water binding/holding capacity
			Thickener
	Yellow/Oriental blends	Natural thickener in sauces	Low cost filler
	(50/50)		Oriental mustard bran has hotter flavour, only
			small amount of mucilage present.

Box 37026 North Park PO Saskatoon, SK S7K 8J2 www.spreadthemustard.com



#### Mustard as an Allergen

Mustard, like wheat and soy, is considered a priority allergen in Canada and Europe and like these other ingredients must be identified as a food allergen in the food label ingredient list. The food industry, through proper labelling, can adequately inform consumers.

To answer questions about mustard as an allergen, consumers and the food industry are directed to Health Canada's fact sheet "Mustard-A Priority Allergen". 7

#### **Mustard Opportunities - Uses and Applications**

- · Mustard is a natural antimicrobial agent which contributes to the microbial safety of foods and increases shelf life
- Unique characteristics of mustard (protein value, mucilage, functional attributes, flavour) make it a good replacement for additives and preservatives
- Mustard can be used as a filler, protein enhancer and as a spice or flavouring agent

#### References

- 1. Bos, C., Airinei et al., 2007. J. Nutr. 137:594-600
- 2. Canada Grain Commission, 2017. *Quality of western Canadian mustard* https://www.grainscanada.gc.ca/mustard-moutarde/harvest-recolte/2017/hqm17-qrm17-1-en.html
- 3. Canada Grain Commission, 2010 to 2017 *Quality of western Canadian mustard* https://www.grainscanada.gc.ca/mustard-moutarde/harvest-recolte/2017/hqm17-qrm17-1-en.html
- 4. Cui, W. and Eskin, N.A.M. 1999 In: *Functional Foods: Biochemical and Processing Aspects* (ED) G. Mazza. Technomic Publishing Co., Inc. Lancaster, PA Pg. 235-264
- 5. FAOSTAT 2017 <a href="http://www.fao.org/faostat/en/#data/QC">http://www.fao.org/faostat/en/#data/QC</a>
- 6. Natural and Non-Prescription Health Products Directorate. Natural Health Products Ingredients Database, <a href="http://webprod.hc-sc.gc.ca/nhpid-bdipsn/search-rechercheReq.do">http://webprod.hc-sc.gc.ca/nhpid-bdipsn/search-rechercheReq.do</a>
- 7. Health Canada. 2017. Mustard-a priority allergen. <a href="https://www.canada.ca/en/health-canada/services/food-nutrition/reports-publications/food-safety/mustard-priority-food-allergen.html">https://www.canada.ca/en/health-canada/services/food-nutrition/reports-publications/food-safety/mustard-priority-food-allergen.html</a>
- 8. Natural and Non-Prescription Health Products Directorate. Natural Health Products Ingredients Database, <a href="http://webprod.hc-sc.gc.ca/nhpid-bdipsn/search-rechercheReq.do">http://webprod.hc-sc.gc.ca/nhpid-bdipsn/search-rechercheReq.do</a>
- 9. Sharafi, Y., Majidi, J.M, Goli, S.A.H. and Rashidi, Int. J. Food Properties. 18: 2145-2154.
- 10. Wanasundera, J.P.D. 2011. Crit. Rev. Food Sci. Nutr. 51:635-677